



774669
MATERIAL SAFETY DATA SHEET

784823
783423

DAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

MSDS NO: DAP / 10002
INTERNAL ID: 10002
ALEX PLUS (ALL COLORS)
REVISION: 3
DATE: MARCH 24, 1992

771551
771490
771891

771632 776609

NATIONAL PAINT
AND COATINGS
ASSOCIATION

HAZARDOUS MATERIAL
IDENTIFICATION
SYSTEM

| | |
|---------------------|------------------------|
| HEALTH HAZARD | 1 - SLIGHT |
| FLAMMABILITY HAZARD | 1 - SLIGHT |
| REACTIVITY HAZARD | 0 - MINIMAL |
| PERSONAL PROTECTION | B - GLASSES, GLOVES |

SECTION I. MATERIAL IDENTIFICATION

TRADE/MATERIAL NAME: ALEX PLUS (ALL COLORS)
DESCRIPTION: CAULK
CAS: MIXTURE
PREVIOUS MSDS REVISION DATE: FEBRUARY 28, 1991
DOT INFORMATION FOR DOMESTIC GROUND TRANSPORT:
SHIPPING NAME (49 CFR 172.101): NA
D.O.T. HAZARD CLASS (49 CFR 172.101): NA
D.O.T. ID NO. (49 CFR 172.101): NA
D.O.T. LABEL REQUIRED (49 CFR 172.101): NA
EPA WASTE CODE-IF DISCARDED (40 CFR 261): NONE

MANUFACTURER: DAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

PHONE: 1-800-543-3840
513-667-4461

SECTION II. INGREDIENTS AND HAZARDS

INGREDIENT NAME: PERCENT: EXPOSURE LIMITS:
ALL INGREDIENTS ARE NOT REGULATED BY OSHA AND ARE CONSIDERED TRADE SECRETS.

SECTION III. PHYSICAL DATA

APPEARANCE & ODOR: COLORED PASTE WITH A SLIGHT AMMONIA ODOR.
BOILING POINT: NE
VAPOR PRESSURE: 17.5MMHG @ 68F
WATER SOLUBILITY (%): NEGLIGIBLE
VAPOR DENSITY (AIR=1): <1
EVAPORATION RATE: (N-BUTYL ACETATE=1): <1 (H2O)
SPECIFIC GRAVITY (H2O=1): 1.73
% VOLATILE BY VOLUME: 20-25
VOC LESS WATER LESS EXEMPT SOLVENT (GRAMS/LITER): 14
VOC MATERIAL (GRAMS/LITER): 12

80

MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

MSDS NO: DAP / 10002
INTERNAL ID: 10002
ALEX PLUS (ALL COLORS)
REVISION: 3
DATE: MARCH 24, 1992

SECTION IV. FIRE AND EXPLOSION DATA

FLASH POINT (METHOD): >200F (SETA) LIMITS: LEL %: NE UEL %: NE
EXTINGUISHING MEDIA: FOAM, WATER, DRY CHEMICALS
UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE KNOWN
SPECIAL FIRE-FIGHTING PROCEDURES: USE WATER SPRAY TO COOL EXPOSED SURFACES.

SECTION V. REACTIVITY DATA

MATERIAL IS STABLE AT ROOM TEMPERATURE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR .
CHEMICAL INCOMPATIBILITIES: STRONG OXIDIZERS AND CAUSTICS.
CONDITIONS TO AVOID: EXCESSIVE HEAT
HAZARDOUS DECOMPOSITION PRODUCTS: NORMAL COMBUSTION PRODUCTS, I.E. COX, NOX.

SECTION VI. HEALTH HAZARD INFORMATION

THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN BY THE NTP, IARC OR OSHA.
MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY CONTACT: NONE KNOWN
PRIMARY ENTRY ROUTE(S): SKIN CONTACT
ACUTE EFFECTS: NONE KNOWN.
CHRONIC EFFECT(S): PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE IRRITATION.
FIRST AID:
EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.
CONTACT A PHYSICIAN.
SKIN CONTACT: WASH WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR. CONTACT A PHYSICIAN IMMEDIATELY.
INGESTION: DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN
OR REGIONAL POISON CONTROL CENTER IMMEDIATELY.

MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

MSDS NO: DAP / 10002
INTERNAL ID: 10002
ALEX PLUS (ALL COLORS)
REVISION: 3
DATE: MARCH 24, 1992

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

SPILL / LEAK PROCEDURES: USE ABSORBENT MATERIAL OR SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.

WASTE MANAGEMENT / DISPOSAL: DISPOSE OF ACCORDING TO FEDERAL, STATE, AND LOCAL STANDARDS. THIS PRODUCT DOES NOT MEET THE DEFINITION OF A HAZARDOUS WASTE ACCORDING TO U.S. EPA HAZARDOUS WASTE MANAGEMENT REGULATIONS, 40 CFR SECTION 261.

SECTION VIII. SPECIAL PROTECTION INFORMATION

PERSONAL PROTECTIVE EQUIPMENT:

GOGGLES, SAFETY GLASSES RECOMMENDED.

GLOVES: NOT REQUIRED

RESPIRATOR: NONE REQUIRED. SEE VENTILATION SECTION BELOW.

WORKPLACE CONSIDERATIONS:

VENTILATION: NORMAL ROOM VENTILATION.

SAFETY STATIONS:
NOT REQUIRED.

CONTAMINATED EQUIPMENT:
WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION IX. SPECIAL PRECAUTIONS

STORAGE SEGREGATION: STORE AWAY FROM CAUSTICS AND OXIDIZERS.

SPECIAL HANDLING / STORAGE: KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINERS FROM EXCESSIVE HEAT AND FREEZING.

DOT CLASS: SEE SECTION I

UN REGISTER: SEE SECTION I

THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE IF THEY ARE APPROPRIATE.